

City of Arlington Preliminary Site Assessment

SITE INFORMATION



Figure 1. Location Map.

Parcel Number: 00745700000500

Parcel Area (acres): 1

Site Address: 2402 200TH ST NE

Property Owner: BLACK ROBERT JR

Maps and GIS data are distributed "AS-IS" without warranties of any kind, either express or implied, including but not limited to warranties of suitability for a particular purpose or use. Map data are compiled from a variety of sources which may contain errors and users who rely upon the information do so at their own risk. Users agree to indemnify, defend, and hold harmless the City of Arlington for any and all liabilities of any nature arising out of or resulting from the lack of accuracy or correctness of the data, or the use of the data presented in the maps.

SITE CHARACTERISTICS

Percent Saturated/Wetland Soils Onsite				Low:	
			USGS Aquifer	Medium:	·i
Slopes Onsite	0 to 8%	100.0%	Sensitivity	High:	100.0%
	8 to 12%	-	Drinking Water Well Onsite?		No
	12 to 15%	 			
	15 to 20%	·-	Soil Contamination	No	
	20 to 33%	 	UST Onsite?	No	
	> 33%	-	Septic System Onsite	e?	Yes

Note: Not all criteria used in the preliminary BMP site assessments are summarized in this report. For a full list of criteria analyzed for each BMP please see the BMP Preliminary Site Assessment criteria tables.

PERCENT OF SITE POTENTIALLY NOT SUITABLE FOR BMP IMPLEMENTATION

Infiltrating Bioretention Cell/Swale	83%	Permeable Pavement	83%	Underground Detention and Treatment	On a site by site basis
Infiltrating Bioretention Planter	83%	Ponds and Wetlands	83%	Aboveground Sand Filtration	83%
Non-Infiltrating Bioretention	On a site by site basis	Basic Filter Strips	On a site by site basis	Infiltration BMPs	83%
		Biofiltration Swales	On a site by site basis	Dispersion BMPs	83%



